




Änderungen vorbehalten!

n°	Description	ref.	n° pc
1	Column, compl.	7965580U	1
2	Column	79655801	1
3	Screw M8x30	80201143	2
4	Washer 8,4	80201377	2
5	Washer 26x72x5	40600180	1
6	Bolt	79655802	1
7	Block	79655803	1
8	Nut M12	80201014	4
9	Tube	79655804	1
10	Caster wheel	40600109	3
11	Washer 13	80201381	4
12	Screw M12x60	80201473	4
13	Caster wheel with brake	40600110	1
14	Washer 10,5	80201380	8
15	Screw M10x40	80201113	8
16	Nut M10	80201034	1
17	Screw M10x40	80201113	1
18	Machine holder, compl.	7965585U	1
19	Nut M8	80201221	4
20	Washer 8,4	80201377	4
21	Grooved ball bearing 6001 2RS	80410036	8
22	Roller	796R1763	4
23	Bolt	796R3730	2
24	Eccentric	796R3765	2
25	Slide	79655851	1
26	Thread insert M12x18	85000177	1
27	Locking device	796UN535	1
28	Retaining ring 15x1	80201322	2
29	Grooved ball bearing 6002 2RS	80410037	2
30	Pinion shaft	796UN505	1
31	Clamping lever M8x25	85000227	1
32	Parallel pin 5x24	80200588	2
33	Brake block	796R1906	1
34	Screw M6x20	80201158	2
35	Bracket	796UN915	1
36	Nut M12	80201036	4
37	Holding fixture lock	79655852	1
38	Axle	79655853	1
39	Retaining ring 8x0,8	80201317	2
40	Washer 8,4	80201391	2
41	Screw M8x30	80201143	2
42	Leg spring	80200803	1
43	Lock lever	79655855	1
44	Holding fixture rotary arm	7965581U	1
45	Retaining ring 22x1,2	80201325	1

46	Washer 23	80201359	2
47	Bolt rotary arm	79655811	1
48	Adapter plate	79655812	1
49	Drill bushing	80201051	1
50	Hand crank,compl.	7965584U	1
51	Hand crank	40600300	1
52	Spring loaded thrust piece	85000157	1
53	Adapter hand crank	79655841	1
54	Parallel pin 5x24	80200588	1
55	Rotary arm compl.	7965582U	1
56	Conductor	40600099	2
57	Tube rotary arm	79655821	1
58	Locking pin 8x42	80201652	1
59	Washer 23	80201359	1
60	Bushing	80420246	6
61	Screw M8x25	80201145	4
62	Adapter plate	796UN198	1
63	Adapter	796UN191	1
64	Handle, compl.	73320595	1
65	Grooved pin 8x30	80200621	2
66	Bow	796R1815	1
67	Eye bolt M8x50	80201112	1
68	Compression spring	85000192	1
69	Washer 8,4	80201391	1
70	Clamping lever M8	85000169	1
71	Column extension for EBW 1300 (Working height: 1300-2300 mm)	3582G000	1
72	Screw M6x30	80201148	2
73	Column cap	796UN916	1
74	Column, extension	796UN092	1
75	Rail connector, compl.	79600117	1
76	Screw M12x30	40600072	4
77	Washer 13	80201381	4
78	Clamping plate 1	796UN117	1
79	Clamping plate 2	796UN118	1